STATE OF MISSOURI GEOLOGICAL SURVEY PROGRAM OCT 18 2012

## APPLICATION FOR PERMIT TO DRILL, DEEPEN OR PLUG BACK

NAME OF COMPANY	OD ODEDATOD			BACK 🔽	FOR AN OIL V			GAS WELL	
NAME OF COMPANY OR OPERATOR						DATE			
Kansas Resource Exploration and Development, LLC				CITY			10/10/2012 STATE ZIP CODE		
ADDRESS 9393 West 110th St., Suite 500			100	Overland Park		KS	100000	210	
				overland Fark		INO	00.		
DESCRIPTION OF WELL AND LEASE  NAME OF LEASE				WELL NUMBER			ELEVATION (GROUND)		
Clark-Berry			C	B-34		1076	1076'		
WELL LOCATION	/		(GIVE FOOTAGE	FROM SECTION LINE					
	640 f	t. from 🗌 North 🗸		861	ft. from 🗸 Eas			ne	
WELL LOCATION  Sec. 16 Township 46 North Range 33 ☐ East ✓				LATITUDE LONGITUDE N38 48' 13.15" W94 34' 14.29"			COUNTY		
			East  West _			Cass	0.5		
			ROPERTY OR LEASE		FEET		250		
			RILLING, COMPLETED	OR APPLIED – FO	ROTARY OR CABI	E TOOLS	APPROX D	FEET  NATE WORK WILL:	
PROPOSED DEPTH DRILLING CONTRACTOR, NAME Utah Oil, LLC			AND ADDITEOU	Rotary			11/01/2012		
NUMBER OF ACRES II			A OF INICI LIDING THIS	WELL COMPLETE		TO THIS I	100000000000000000000000000000000000000	-Allen-	
370	NOMBI	ER OF WELLS ON LEA ER OF ABANDONED V	ASE INCLUDING THIS	WELL, COMPLETE	D IN OR DRILLING	IO IHIS I	RESERVUIR		
			LED, FROM WHOM PU	IDCHASEDO		NO. OF W	VELLS PRO	DUCING 4	
NAME DE EXPLO		R MORE WELLS DRIL	LED, FROM WHOM PO	PURCHASED?		INJECTION 2			
	The second secon	Wellsville, KS 660	92			INACTIVE 0			
ADDRESS 4393	riigiiway 135,							NDONED 0	
STATUS C	OF BOND	SINGLE WEL	L	BLANKET BOND AMOUNT \$ 160,000 ✓			ON FILE  ATTACHED		
AMOUNT		ASING PROGRAM	CEMENT	The second second	ED CASING - TO BE	FILLED	V. 10-10-10-10-10-10-10-10-10-10-10-10-10-1		
AMOUNT	SIZE	WT/FT	CEMENT 8 sks	AMOUNT	SIZE		WT/FT		
20'	SIZE 8 5/8"	WT/FT 20	8 sks	AMOUNT ZO	SIZE		WT/FT	1	
	SIZE	WT/FT		AMOUNT	SIZE		WT/FT		
20'	SIZE 8 5/8"	WT/FT 20	8 sks	AMOUNT ZO	SIZE		WT/FT	1	
20' 700'  I, the Undersign this report, and and complete to	SIZE 8 5/8" 4 1/2"  ded, state that I that this report to the best of my	WT/FT 20 11.6  am the C.O.O was prepared und	8 sks	AMOUNT ZO` TOO`  (Company), a	SIZE  \$ 5/8"  4'2"  and that I am aut	thorized	WT/FT	CEMEN	
20' 700'  I, the Undersign this report, and and complete to SIGNATURE	SIZE 8 5/8" 4 1/2"  ded, state that I that this report to the best of my	WT/FT 20 11.6  am the C.O.O was prepared und	8 sks 125 sks of the K.R.E.D	AMOUNT ZO` TOO`  (Company), a	SIZE  \$ 5/8"  4'2"  and that I am aut	thorized	WT/FT	CEMEN	
20' 700'  I, the Undersign this report, and and complete to SIGNATURE 154	SIZE 8 5/8" 4 1/2"  seed, state that I that this report of the best of my	wt/FT 20 11.6 am the C.O.O was prepared und knowledge.	8 sks 125 sks of the K.R.E.D	AMOUNT ZO TOO  (Company), a and direction a	SIZE  8 5/8"  41/2"  and that I am autind that the facts	thorized stated	by said co	ompany to make true, correct	
20' 700'  I, the Undersign this report, and and complete to SIGNATURE 154	SIZE 8 5/8" 4 1/2"  ded, state that I that this report to the best of my	wt/FT 20 11.6 am the C.O.O was prepared und knowledge.	8 sks 125 sks of the K.R.E.D der my supervision	AMOUNT ZO TOO  (Company), a and direction a	SIZE  8 5/8"  4 1/2"  and that I am autind that the facts	thorized stated	by said cotherein are	ompany to me true, correct	
20' 700'  I, the Undersign this report, and and complete to SIGNATURE 194 PERMIT NUMBER 63- APPROVED DATE	SIZE 8 5/8" 4 1/2"  seed, state that I that this report of the best of my	am the C.O.O was prepared und knowledge.	8 sks 125 sks  of the K.R.E.D  der my supervision  DRILLER'S LOG  CORE ANALYSIS  SAMPLES REQU	AMOUNT  ZO  TOO  (Company), a and direction a and direction a secured in the security of the s	SIZE  8 5/8"  4 1/2"  and that I am autind that the facts	thorized stated	by said cotherein are	ompany to ma	
20' 700'  I, the Undersign this report, and and complete to SIGNATURE 194 PERMIT NUMBER 63- APPROVED DATE	SIZE 8 5/8" 4 1/2"  leed, state that I that this report to the best of my	am the C.O.O was prepared und knowledge.	8 sks 125 sks  of the K.R.E.D  der my supervision  DRILLER'S LOG  CORE ANALYSIS  SAMPLES REQU  SAMPLES NOT F	AMOUNT  ZO  TOO  (Company), a and direction a and direction a secured by the secu	SIZE  8 5/8"  4 1/2"  and that I am autind that the facts	thorized stated	by said cotherein are	ompany to ma	
20' 700'  I, the Undersign this report, and and complete to SIGNATURE  PERMIT NUMBER  03- APPROVED DATE	SIZE 8 5/8" 4 1/2"  leed, state that I that this report to the best of my	am the C.O.O was prepared und knowledge.	8 sks 125 sks  of the K.R.E.D  der my supervision  DRILLER'S LOG  CORE ANALYSIS  SAMPLES REQU	AMOUNT  ZO  TOO  (Company), a and direction a and direction a secured by the secu	SIZE  8 5/8"  4 1/2"  and that I am autind that the facts	thorized stated	by said cotherein are	ompany to ma	
20' 700'  I, the Undersign this report, and and complete to SIGNATURE  PERMIT NUMBER  APPROVED DATE  APPROVED BY  NOTE	SIZE 8 5/8" 4 1/2"  ded, state that I that this report to the best of my  7 - 2115  2 - 5 - 17  THIS PERMIT	wt/FT 20 11.6  am the C.O.O was prepared und knowledge.	8 sks 125 sks  125 sks  of the K.R.E.D  der my supervision  Der	AMOUNT  ZO  TOO  (Company), a and direction a	SIZE  8 5/8"  4 1/2"  and that I am autind that the facts  E-LOO  N S DRILL	thorized is stated  DATE  GS REQUE SYSTEM	by said cotherein are	ompany to make true, correct	
20' 700'  I, the Undersign this report, and and complete to SIGNATURE  PERMIT NUMBER  APPROVED DATE  APPROVED BY  APPROVAL OF THI	SIZE 8 5/8" 4 1/2"  ded, state that I that this report to the best of my  7 - 2115  2 - 5 - 17  THIS PERMIT SPERMIT BY THE	wt/FT 20 11.6  am the C.O.O was prepared und knowledge.	8 sks 125 sks  of the K.R.E.D  der my supervision  DRILLER'S LOG  CORE ANALYSIS  SAMPLES REQUIRED SAMPLES NOT FOR WATER SAMPLES  ABLE TO ANY OT COIL DOES NOT CONS	AMOUNT  ZO  TOO  (Company), a and direction a	SIZE  8 5/8"  4 1/2"  and that I am autind that the facts  E-LOO  N S DRILL	thorized is stated  DATE  GS REQUE SYSTEM	by said cotherein are	ompany to make true, correct	
20' 700'  I, the Undersign this report, and and complete to SIGNATURE  PERMIT NUMBER  APPROVED DATE  APPROVED BY  NOTE  APPROVAL OF THI WELL NOR ENDOR	SIZE  8 5/8"  4 1/2"  ded, state that I that this report the best of my  7 - 2115  2 - 5 - 17  THIS PERMIT BY THE REMENT OF THE	WT/FT 20 11.6  am the C.O.O was prepared und knowledge.	8 sks 125 sks  125 sks  of the K.R.E.D  der my supervision  Der	AMOUNT  ZO  TOO  (Company), a and direction a	SIZE  8 5/8"  4 1/2"  and that I am aut and that the facts  E-LOG  DRILL  OR TO ANY O' MENT OF THE GEO	thorized stated  DATE  GS REQU SYSTEM  THER L LOGIC MI	by said cotherein are	ompany to make true, correct	
20' 700'  I, the Undersign this report, and and complete to SIGNATURE  PERMIT NUMBER  APPROVED DATE  APPROVED BY  APPROVAL OF THI WELL NOR ENDOR	SIZE  8 5/8"  4 1/2"  led, state that I that this report to the best of my  7 - 2115  2 - 5 - 17  THIS PERMIT BY THE REMENT OF THE One Utah Oil (C)	WT/FT 20 11.6  am the C.O.O was prepared und knowledge.	8 sks 125 sks  of the K.R.E.D  der my supervision  DRILLER'S LOG  CORE ANALYSIS  SAMPLES REQUIRED SAMPLES NOT FOR WATER SAMPLES  ABLE TO ANY OT COIL DOES NOT CONS	AMOUNT  ZO  TOO  (Company), a and direction a	SIZE  3 5/2"  4 1/2"  and that I am aut and that the facts  E-LOO  DE DRILL  OR TO ANY O'  MENT OF THE GEO  has been obtained	thorized is stated  DATE  GS REQU SYSTEM  THER L LOGIC MI	by said cotherein are	ompany to make true, correct	



## STATE OF MISSOURI MISSOURI DEPARTMENT OF NATURAL RESOURCES GEOLOGICAL SURVEY PROGRAM


**WELL LOCATION PLAT** 

OWNER'S NAME										
Kansas Resource	ce Exploration	& Development								
LEASE NAME							COUNTY			
Clark-Berry CB-34							Cass			
WELL LOCATION			(GIVE FOOTAGE FROM							
	640 ft. from	☐ North ■ Sout	h from section line	861°	ft. from	■ East □ W	lest from s	ection line		
WELL LOCATION	46	22 —								
Sec. 16 Towns	ship 40 North	n Range 33 🔲	East  West	LONGITUD	_					
N38° 48' 13.15"	/				' 14.29" 🎍	/				
1100 10 10.10				1	d/ Voltage/					
					Secti	on 16				
	N									
	11									
	^									
	9).e				/					
	1							_	+	
								1		
									350'	
									from	
								CB-3H	EB-35	86
		ļ.								0.0
						Clark	Burry			
REMARKS		33					/	640		
		ſ						640,6	rom lease	
Section 16 is larg	ger than 1 squ	uare mile. One squ	are equals 682.25	feet, whic	h account	s for the larg	er dimens	ions of this s	ection.	
					Magai est	272 8		2		
	INST	RUCTIONS		This is to	certify th	at I have exe	ecuted a s	urvey to acc	urately 0-2.030 and	
On the shave al	lat show dista	ince of the propose	ad well from the	that the	results are	e correctly sh	nown on th	e above plat	t.	
two nearest sec	at, snow dista	nearest lease line,	and from the							
nearest well on	the same leas	se completed in or	drilling to the							
same reservoir.	Do not confu	se survey lines wit	h lease lines.							
		survey requireme	nts. Lease lines							
must be marked	l.									
		O (2) COPIES TO:		REGISTER	D LAND SUR	VEYOR		NUMBER		
		SURVEY PROGRAI								
		MO 65402-0250 (573 WILL BE RETURNE								




## Missouri Department of Natural Resources

Geographic Information Systems





Select a coordinate format, enter a pair of coordinates in the boxes below it, and then press the SUBMIT button. Please be patient while your information is retrieved. Your coordinates will be converted to the other formats, the information on the right-hand side of the page will be filled in based on your coordinates, and a map will be generated. NOTE: All coordinates must use the North American Datum of 1983 (NAD83).



[ 363617.0, 4296159.6 ] meters					
[ 38.803652°, -94.570637° ]					
[ 38° 48' 13.1", -94° 34' 14.2" ]					
Cass					
037					
Section 16 T46N R33W					
NO VALUE					
123					
31					
5					
Kansas City Regional Office					
Belton [38094-G5]					
10290108 [South Grand]					
1029010801 [Headwaters South Grand River]					
102901080101 [East Creek]					
Area 2					
Central Plains/Osage/South Grand					
Central Irregular Plains					
6.172 s					

Rows with red text indicate that the input location is too close to a boundary to produce reliable results.

NOTE: A result of 'NO VALUE' is usually an indication that no data was found for the location. For example, not every point in Missouri will lie within a municipal boundary, so some will result in a 'NO VALUE'. If 'County Name' results in 'NO VALUE', your point probably lies outside the state.

Well ID: #005390

Elev. 1069'

P. 1229'elas. P.-M:345'

Well ID: #026255 Pe:535' TD

1076-535-345

## Metadata

14.29

-94

Interstate Highways


**Longitude Degrees** 

**Longitude Minutes** 

Longitude Seconds

- US Highways
- State Highways
- Railroad
- Major and Minor Roads
- County Boundary
- Lakes
- Major Rivers
- Rivers and Streams
- Missouri River
- Mississippi River
- Municipal





View Scale 1:24,000

DISCLAIMER: Although this map has been compiled by the Missouri Department of Natural Resources, no warranty, expressed or implied, is made by the department as to the data and related materials. The act of distribution shall not constitute any such warranty, and no responsibility is assumed by the department in the use of these data or related materials.



P.O. Box 176, Jefferson City, MO 65102 800-361-4827 / 573-751-3443 E-mail: contact@dnr.mo.gov